Devier DJ *See* Phillips JP

Dikmen S *See* Bell KR

Dikmen SS *See* Machamer JE

Diller L *See* McCorkel BA

Doble JE, Haig AJ, Anderson C, Katz R: Impairment, Activity, Participation, Life Satisfaction, and Survival in Persons With Locked-In Syndrome for Over a Decade: Follow-Up on a Previously Reported Cohort, 18(5):435

Doctor J *See* Bell KR

Donders J, Callahan CD: Moderating factors in rehabilitation outcome (Preface), 18(2):105

Donders J, Woodward HR: Gender as a Moderator of Memory After Traumatic Brain Injury in Children, 18(2):106

Dorais L *See* Thomas H

Drotar D *See* Wade SL

Ducharme JM: "Errorless" Rehabilitation: Strategies of Proactive Intervention for Individuals with Brain Injury and Their Children, 18(1):88

Duchnick JJ *See* Vanderploeg RD

Dumas D *See* McFadyen BJ

Durand A *See* McFadyen BJ

E

Ecklund-Johnson EP *See* McCorkel BA

Elgin KM *See* Blackman JA

Elovic EP, Lansang R, Li Y, Ricker JH: The Use of Atypical Antipsychotics in Traumatic Brain Injury, 18(2):177

Elovic EP: Anterior Pituitary Dysfunction After Traumatic Brain Injury, I, 18(6):541

Esselman P *See* Bell KR

Evans RW *See* Malec JF

Ezkerra J *See* Quemada JI

F

Farmer JE, Clark MJ, Sherman AK: Rural Versus Urban Social Support Seeking as a Moderating Variable in Traumatic Brain Injury Outcome, 18(2):116

Farrell WJ *See* Blackman JA

Feeney DM *See* Phillips JP

Feeney T *See* Ylvisaker M

Feeney T, Jacobs HE, Ylvisaker M: Positive behavior support (Preface), 18(1):2

Feeney TJ, Ylvisaker M: Context-Sensitive Behavioral Supports for Young Children with TBI: Short-Term Effects and Long-Term Outcome, 18(1):33

Feyz M *See* Thomas H

Finlay KL *See* Malec JF

Flanagan S *See* McDonald S

Fordyce DJ: *Neuropsychological Interventions: Clinical Research and Practice*, by Eslinger PJ (Book Review), 18(2):207

Frankish H: Ginkgo biloba does not enhance memory in healthy adults US study finds (Abstract by Laborde A), 18(2):217

Fraser R *See* Kreutzer JS

G

Gardner RM, Bird FL, Maguire H, Carreiro R, Abenaim N: Intensive Positive Behavior Supports for Adolescents with Acquired Brain Injury: Long-Term Outcomes in Community Settings, 18(1):52

Garner MD *See* Bell KR

Gizzi M, Zlotnick M, Cicerone K, Riley E: Vestibular Disease and Cognitive Dysfunction: No Evidence for a Causal Connection, 18(5):398

Glueckauf RL *See* McCorkel BA

H

Haig AJ *See* Doble JE

Hammond FM: Neuroplasticity (Preface), 18(4):306

Hanks R *See* Sherer M

Hart T *See* Sherer M

High, Jr WM *See* Sherer M

Hoch DB, Daly L: Anticonvulsants, 18(4):383

Hoffman SW *See* Stein DG

Horn LJ: *Visual & Vestibular Consequences of Acquired Brain Injury*, by Suchoff IB, Ciuffreda KJ, Kapoor N (Book Review), 18(2):209

I

Ibarra N *See* Quemada JI

J

Jacobs HE *See* Feeney T

Jacobs HE *See* Ylvisaker M

Johnson J *See* Vandiver VL

Johnson K *See* Bell KR

Juan Céspedes MM *See* Quemada JI

K

Karman N, Maryles J, Baker RW, Simpser E, Berger-Gross P: Constraint-induced Movement Therapy for Hemiplegic Children With Acquired Brain Injuries, 18(3):259

Katz R *See* Doble JE

Kegler SR, Coronado VG, Annest JL, Thurman DJ: Estimating Nonfatal Traumatic Brain Injury Hospitalizations Using an Urban/Rural Index, 18(6):469

Kennedy B *See* Morgan A

Kent A *See* Malec JF

Kinch J *See* McDonald S

Kohlert C *See* Bhattaram VA

Kothari S, Kirschner K: Beyond Consent: Assent and Empowerment in Brain Injury Rehabilitation (Edited by Lynch WJ), 18(4):379

Kragness M *See* Malec JF

Kreutzer J, Seel RT, Gourley E: The Prevalence and Symptom Rates of Depression after Traumatic Brain Injury: A Comprehensive Examination, 18(4):377

Kreutzer JS, Marwitz JH, Walker W, Sander A, Sherer M, Bogner J, Fraser R, Bushnik T: Moderating Factors in Return to Work and Job Stability After Traumatic Brain Injury, 18(2):128

Kwasnica C *See* Borgaro SR

L

Laborde A:

Lansang R *See* Elovic EP

LaVigna GW *See* Willis TJ

LeBlanc J *See* Thomas H

Lexell J: Ginseng, 18(2):196

Lezak MD *See* Malec JF

Li Y *See* Elovic EP

Lin H *See* Thomas H

Lu D, Mahmood A, Chopp M: Biologic Transplantation and Neurotrophin-Induced Neuroplasticity After Traumatic Brain Injury, 18(4):357

Luis CA *See* Vanderploeg RD

M

Macciocchi SN: ***The Handbook of Cognitive Neuropsychology: What Deficits Reveal About the Human Mind***, by Rapp B (Book Review), 18(2):215

Machamer JE, Temkin NR, Dikmen SS: Neurobehavioral Outcome in Persons With Violent or Nonviolent Traumatic Brain Injury, 18(5):387

Maguire H *See* Gardner RM

Mahmood A *See* Lu D

Malec JF, Kragness M, Evans RW, Finlay KL, Kent A, Lezak MD: Further Psychometric Evaluation and Revision of the Mayo-Portland Adaptability Inventory in a National Sample, 18(6):479

Marwitz JH *See* Kreutzer JS

Maryles J *See* Karman N

Matsumoto JA *See* Blackman JA

McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, Tomusk AB, Trexler LE, Diller L: Development and Exploratory Analysis of the Neurorehabilitation Program Styles Survey, 18(5):425

McDonald S, Flanagan S, Rollins J, Kinch J: TASIT: A New Clinical Tool for Assessing Social Perception After Traumatic Brain Injury, 18(3):219

McFadyen BJ, Swaine B, Dumas D, Durand A: Residual Effects of a Traumatic Brain Injury on Locomotor Capacity: A First Study of Spatiotemporal Patterns During Unobstructed and Obstructed Walking, 18(6):512

Meaney DF *See* Smith DH

Minich NM *See* Wade SL

Morgan A, Ward E, Murdoch B, Kennedy B, Murison R: Incidence, Characteristics, and Predictive Factors for Dysphagia After Pediatric Traumatic Brain Injury, 18(3):239

Moseley AM, Yap MC: Interrater Reliability of the TEMPA for the Measurement of Upper Limb Function in Adults With Traumatic Brain Injury, 18(6):526

Murdoch B *See* Morgan A

Murdoch BE *See* Cahill LM

Murison R *See* Morgan A

N

Nagy J *See* Reynolds S

Nick TG *See* Sherer M

Nimgade A, Costello MC: Return to Work for a Company President With Traumatic Brain Injury, 18(5):464

P

Paniak C *See* Reynolds S

Patrick PD *See* Blackman JA

Perna RB, Rouselle A, Brennan P: Traumatic Brain Injury: Depression, Neurogenesis, and Medication Management, 18(2):201

Pettigrew LEL, Wilson JTL, Teasdale GM: Reliability of Ratings on the Glasgow Outcome Scales from In-person and Telephone Structured Interviews, 18(3):252

Phillips JP, Devier DJ, Feeney DM: Rehabilitation Pharmacology: Bridging Laboratory Work to Clinical Application, 18(4):342

Q

Quemada JI, Juan Céspedes MM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I: Outcome of Memory Rehabilitation in Traumatic Brain Injury Assessed by Neuropsychological Tests and Questionnaires, 18(6):532

R

Reynolds S, Paniak C, Toller-Lobe G, Nagy J: A Longitudinal Study of Compensation-Seeking and Return to Work in a Treated Mild Traumatic Brain Injury Sample, 18(2):139

Rice SA *See* Blackman JA

Ricker JH *See* Elovic EP

Riley E *See* Gizzi M

Rollins J *See* McDonald S

Rosenthal M *See* Sherer M

Rouselle A *See* Perna RB

S

Sander A *See* Kreutzer JS

Sander AM *See* Sherer M

Savage RC: ***Pediatric Traumatic Brain Injury: Proactive Intervention***, by Blosser JL, DePompei R (Book Review), 18(3):303

Sherer M *See* Kreutzer JS

Sherer M, Nick TG, Sander AM, Hart T, Hanks R, Rosenthal M, High, Jr WM, Yablon SA: Race and Productivity Outcome After Traumatic Brain Injury: Influence of Confounding Factors, 18(5):408

Sherman AK *See* Farmer JE

Shull WH *See* Smith DH

Silver A *See* Solomon PR

Simpser E *See* Karman N

Simpson G, Winstanley J, Bertapelle T: Suicide Prevention Training After Traumatic Brain Injury: Evaluation of a Staff Training Workshop, 18(5):445

Smith DH, Meaney DF, Shull WH: Diffuse Axonal Injury in Head Trauma, 18(4):307

Solomon PR, Adams F, Silver A: Ginkgo for memory enhancement (Abstract by Laborde A), 18(2):217

Solomon S: Posttraumatic Headache (Abstract by Laborde A), 18(4):377

Stancin T *See* Wade SL

Stein DG, Hoffman SW: Concepts of CNS Plasticity in the Context of Brain Damage and Repair, 18(4):317

Swaine B *See* McFadyen BJ

T

Taylor HG *See* Wade SL

Teasdale GM *See* Pettigrew LEL

Temkin N *See* Bell KR

Temkin NR *See* Machamer JE

Theodoros DG *See* Cahill LM

Thomas H, Feyz M, LeBlanc J, Brosseau J, Champoux M-C, Christopher A, Desormeaux N, Dorais L, Lin H: North Star Project: Reality Orientation in an Acute Care Setting for Patients With Traumatic Brain Injuries, 18(3):292

Thurman DJ *See* Kegler SR

Toller-Lobe G *See* Reynolds S

Tomusk AB *See* McCorkel BA

Trexler LE *See* McCorkel BA

U

Ulrike G *See* Bhattaram VA

Urruticoechea I *See* Quemada JI

V

Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA: Demographic, Medical, and Psychiatric Factors in Work and Marital Status After Mild Head Injury, 18(2):148

Vandiver VL, Johnson J, Christofero-Snider C: Supporting Employment for Adults With Acquired Brain Injury: A Conceptual Model, 18(5):457

W

Wade SL, Taylor HG, Drotar D, Stancin T, Yeates KO, Minich NM: Parent-Adolescent Interactions After Traumatic Brain Injury: Their Relationship to Family Adaptation and Adolescent Adjustment, 18(2):164

Walker W *See* Kreutzer JS

Ward E *See* Morgan A

Willis TJ, LaVigna GW: The Safe Management of Physical Aggression Using Multi-Element Positive Practices in Community Settings, 18(1):75

Willson DF *See* Blackman JA

Wilson JTL *See* Pettigrew LEL

Winstanley J *See* Simpson G

Woodward HR *See* Donders J

Y

Yablon SA *See* Sherer M

Yap MC *See* Moseley AM

Yeates KO *See* Wade SL

Ylvisaker M *See* Feeney T

Ylvisaker M *See* Feeney TJ

Ylvisaker M, Jacobs HE, Feeney T: Positive Supports for People Who Experience Behavioral and Cognitive Disability After Brain Injury: A Review, 18(1):7

Z

Zlotnick M *See* Gizzi M

Subject Index

A

Abstracts

Ginko biloba does not enhance memory in healthy adults US study finds, Frankish H (abstracted by Laborde A), 18(2):217

Ginko for memory enhancement, Solomon PR, Adams F, Silver A, et al (abstracted by Laborde A), 18(2):217

Acetylcholine

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

ACTH deficiency

Anterior pituitary dysfunction after traumatic brain injury, Elovic EP, 18(6):541–543

Activities of daily living

Outcome of memory rehabilitation in traumatic brain injury assessed by neuropsychological tests and questionnaires, Quemada JI, Céspedes JMM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I, 18(6):532–540

Acute care rehabilitation

North Star Project: Reality orientation in an acute care setting for patients with traumatic brain injury, Thomas H, Feyz M, LeBlanc J, et al, 18(3):292–302

Adaptation

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Adolescence

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Affective disturbance

Vestibular disease and cognitive dysfunction: No evidence for a causal connection, Gizzi M, Zlotnik M, Cicerone K, Riley E, 18(5):398–407

Aggression

The safe management of physical aggression using multi-element positive practices in community settings, Willis TJ, LaVigna GW, 18(1):75–87

Agitation

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

Amphetamines

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

Amyloid-β

Diffuse axonal injury in head trauma, Smith DH, Meaney DF, Shull WH, 18(4):307–316

Anticonvulsants

Update on pharmacology, Hoch DB, Daly L, 18(4):383–386

Antipsychotics

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

Applied behavior analysis

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

Arm

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

Assessment

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Development and exploratory analysis of the Neurorehabilitation Program Styles Survey, McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, et al, 18(5):425–434

Further psychometric evaluation and revision of the Mayo-Portland Adaptability Inventory in a national sample, Malec JF, Kragness M, Evans RW, Finlay KL, Kent A, Lezak MD, 18(6):479–492

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

Outcome of memory rehabilitation in traumatic brain injury assessed by neuropsychological tests and questionnaires, Quemada JI, Céspedes JMM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I, 18(6):532–540

Perceptual and instrumental analysis of laryngeal function after traumatic brain injury in childhood, Cahill LM, Murdoch BE, Theodoros DG, 18(3):268–283

Reliability of ratings on the Glasgow Outcome Scales from in-person and telephone structured

interviews, Pettigrew LEL, Wilson JTL, Teasdale GM, 18(3):252–258

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

TASIT: A new tool for assessing social perception after traumatic brain injury, McDonald S, Flanagan S, Rollins J, Kinch J, 18(3):219–238

Use of the BNI Screen for Higher Cerebral Functions in assessing disorientation after traumatic brain injury, Borgaro SR, Kwasnica C, Cutter N, Alcott S, 18(3):284–291

Axonal injury

Diffuse axonal injury in head trauma, Smith DH, Meaney DF, Shull WH, 18(4):307–316

B

Barrow Neurological Institute

Use of the BNI Screen for Higher Cerebral Functions in assessing disorientation after traumatic brain injury, Borgaro SR, Kwasnica C, Cutter N, Alcott S, 18(3):284–291

Behavior

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1):88–104

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

The safe management of physical aggression using multi-element positive practices in community settings, Willis TJ, LaVigna GW, 18(1):75–87

Biomechanics

Residual effects of a traumatic brain injury on locomotor capacity: A first study of spatiotemporal patterns during unobstructed and obstructed walking, McFadyen BJ, Swaine B, Dumas D, Durand A, 18(6):512–525

Book reviews

Ethical Issues in Clinical Neuropsychology, Bush SS, Drexler M (reviewed by Banja J), 18(2):210

The Handbook of Cognitive Neuropsychology: What Deficits Reveal About the Human Mind, Rapp B (reviewed by Macciocchi SN), 18(2):215

Neuropsychological Interventions: Clinical Research and Practice, Eslinger PJ (reviewed by Fordyce DJ), 18(2):207

Pediatric Traumatic Brain Injury: Proactive Intervention, Blosser JR, DePompei R (reviewed by Savage RC), 18(3):303

Traumatic Brain Injury in Children and Adolescents, Semrud-Clikemann M (reviewed by DePompei R), 18(2):213

Visual & Vestibular consequences of Acquired Brain Injury, Suchoff IB, Ciuffreda KJ, Kapoor N (reviewed by Horn LJ), 18(2):209

Brain imaging

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Brain injury. *See also* Pediatric brain injury

Anterior pituitary dysfunction after traumatic brain injury, Elovic EP, 18(6):541–543

Biologic transplantation and neurotrophin-induced neuroplasticity after traumatic brain injury, Lu D, Mahmood A, Chopp M, 18(4):357–376

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Development and exploratory analysis of the Neurorehabilitation Program Styles Survey, McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, et al, 18(5):425–434

Diffuse axonal injury in head trauma, Smith DH, Meaney DF, Shull WH, 18(4):307–316

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1):88–104

Estimating nonfatal traumatic brain injury hospitalizations using an urban/rural index, Kegler SR, Coronado VG, Annest, JL, Thurman DJ, 18(6):469–478

Incidence, characteristics, and predictive factors for dysphagia after pediatric traumatic brain injury, Morgan A, Ward E, Murdoch B, Kennedy B, Murison R, 18(3):239–251

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

Longitudinal study of compensation-seeking and return to work in a treated mild traumatic brain injury sample, Reynolds S, Paniak C, Toller-Lobe G, Nagy J, 18(2):139–147

Moderating factors in return to work and job stability after traumatic brain injury, Kreutzer JS, Marwitz JH, Walker W, et al, 18(2):128–138

Neurobehavioral outcome in persons with violent or nonviolent traumatic brain injury, Machamer JE, Temkin NR, Dikmen SS, 18(5):387–397

North Star Project: Reality orientation in an acute care setting for patients with traumatic brain injury, Thomas H, Feyz M, LeBlanc J, et al, 18(3):292–302

Outcome of memory rehabilitation in traumatic brain injury assessed by neuropsychological tests and questionnaires, Quemada JI, Céspedes JMM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I, 18(6):532–540

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

Race and productivity outcome after traumatic brain injury: Influence of confounding factors, Sherer M, Nick TG, Sander AM, et al, 18(5):408–424

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

Residual effects of a traumatic brain injury on locomotor capacity: A first study of spatiotemporal patterns during unobstructed and obstructed walking, McFadyen BJ, Swaine B, Dumas D, Durand A, 18(6):512–525

Return to work for a company president with traumatic brain injury, Nimgade A, Costello MC, 18(5):464–467

Suicide prevention training after traumatic brain injury: Evaluation of a staff training workshop, Simpson G, Winstanley J, Bertapelle T, 18(5):445–456

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

TASIT: A new tool for assessing social perception after traumatic brain injury, McDonald S, Flanagan S, Rollins J, Kinch J, 18(3):219–238

Traumatic brain injury: Depression, neurogenesis, and medication management, Perna RB, Rouselle A, Brennan P, 18(2):201–203

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

The use of a World Wide Web-based consultation site to provide support to telephone staff in a traumatic brain injury demonstration project, Bell KR, Esselman P, Garner MD, et al, 18(6):504–511

Use of the BNI Screen for Higher Cerebral Functions in assessing disorientation after traumatic brain injury, Borgaro SR, Kwasnica C, Cutter N, Alcott S, 18(3):284–291

Vestibular disease and cognitive dysfunction: No evidence for a causal connection, Gizzi M, Zlotnik M, Cicerone K, Riley E, 18(5):398–407

Brainstem

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson, C, Katz R, 18(5):435–444

C

Children. *See* Pediatric brain injury

Clinical research and practice

Constraint-induced movement therapy for hemiplegic children with acquired brain injuries, Karman N, Maryles J, Baker RW, Simpser E, Berger-Gross P, 18(3):259–267

Development and exploratory analysis of the Neurorehabilitation Program Styles Survey, McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, et al, 18(5):425–434

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson, C, Katz R, 18(5):435–444

Incidence, characteristics, and predictive factors for dysphagia after pediatric traumatic brain injury, Morgan A, Ward E, Murdoch B, Kennedy B, Murison R, 18(3):239–251

Neurobehavioral outcome in persons with violent or nonviolent traumatic brain injury, Machamer JE, Temkin NR, Dikmen SS, 18(5):387–397

North Star Project: Reality orientation in an acute care setting for patients with traumatic brain injury, Thomas H, Feyz M, LeBlanc J, et al, 18(3):292–302

Perceptual and instrumental analysis of laryngeal function after traumatic brain injury in childhood, Cahill LM, Murdoch BE, Theodoros DG, 18(3):268–283

Race and productivity outcome after traumatic brain injury: Influence of confounding factors, Sherer M, Nick TG, Sander AM, et al, 18(5):408–424

Reliability of ratings on the Glasgow Outcome Scales from in-person and telephone structured interviews, Pettigrew LEL, Wilson JTL, Teasdale GM, 18(3):252–258

Return to work for a company president with traumatic brain injury, Nimgade A, Costello MC, 18(5):464–467

Suicide prevention training after traumatic brain injury: Evaluation of a staff training workshop, Simpson G, Winstanley J, Bertapelle T, 18(5):445–456

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

TASIT: A new tool for assessing social perception after traumatic brain injury, McDonald S, Flanagan S, Rollins J, Kinch J, 18(3):219–238

Use of the BNI Screen for Higher Cerebral Functions in assessing disorientation after traumatic brain injury, Borgaro SR, Kwasnica C, Cutter N, Alcott S, 18(3):284–291

Vestibular disease and cognitive dysfunction: No evidence for a causal connection, Gizzi M, Zlotnik M, Cicerone K, Riley E, 18(5):398–407

Clozapione

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

Cognitive-behavioral intervention

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Cognitive dysfunction

Beyond consent: Assessment and empowerment in brain injury rehabilitation, Kothari S, Kirschner K, 18(4):379–382

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

Vestibular disease and cognitive dysfunction: No evidence for a causal connection, Gizzi M, Zlotnik M, Cicerone K, Riley E, 18(5):398–407

Cognitive rehabilitation

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

Communication

The use of a World Wide Web-based consultation site to provide support to telephone staff in a traumatic brain injury demonstration project, Bell KR, Esselman P, Garner MD, et al, 18(6):504–511

Communication training

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Community integration

Rural *versus* urban social support seeking as a moderating variable in traumatic brain injury outcome, Farmer JE, Clark MJ, Sherman AK, 18(2):116–127

Community setting

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

The safe management of physical aggression using multi-element positive practices in community settings, Willis TJ, LaVigna GW, 18(1):75–87

Compliance

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1):88–104

Conflict

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Consultation

The use of a World Wide Web-based consultation site to provide support to telephone staff in a traumatic brain injury demonstration project, Bell KR, Esselman P, Garner MD, et al, 18(6):504–511

Criticism

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

D

Demographic factors

Demographic, medical, and psychiatric factors in work and marital status after mild head injury, Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA, 18(2):148–163

Depression

Traumatic brain injury: Depression, neurogenesis, and medication management, Perna RB, Rouselle A, Brennan P, 18(2):201–203

Diaschisis

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Diffuse axonal injury

Diffuse axonal injury in head trauma, Smith DH, Meaney DF, Shull WH, 18(4):307–316

Disorientation

Use of the BNI Screen for Higher Cerebral Functions in assessing disorientation after traumatic brain injury, Borgaro SR, Kwasnica C, Cutter N, Alcott S, 18(3):284–291

Dysarthria

Perceptual and instrumental analysis of laryngeal function after traumatic brain injury in childhood, Cahill LM, Murdoch BE, Theodoros DG, 18(3):268–283

Dysphagia

Incidence, characteristics, and predictive factors for dysphagia after pediatric traumatic brain injury, Morgan A, Ward E, Murdoch B, Kennedy B, Murison R, 18(3):239–251

E

Ecological validity

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Outcome of memory rehabilitation in traumatic brain injury assessed by neuropsychological tests and questionnaires, Quemada JI, Céspedes JMM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I, 18(6):532–540

Emotional expression

TASIT: A new tool for assessing social perception after traumatic brain injury, McDonald S, Flanagan S, Rollins J, Kinch J, 18(3):219–238

Employment

Demographic, medical, and psychiatric factors in work and marital status after mild head injury,

Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA, 18(2):148–163

Moderating factors in return to work and job stability after traumatic brain injury, Kreutzer JS, Marwitz JH, Walker W, et al, 18(2):128–138

Race and productivity outcome after traumatic brain injury: Influence of confounding factors, Sherer M, Nick TG, Sander AM, et al, 18(5):408–424

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

Empowerment

Beyond consent: Assessment and empowerment in brain injury rehabilitation, Kothari S, Kirschner K, 18(4):379–382

Equipotentiality

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Errorless approaches

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1):88–104

Ethical issues

Beyond consent: Assessment and empowerment in brain injury rehabilitation, Kothari S, Kirschner K, 18(4):379–382

Evaluation

Suicide prevention training after traumatic brain injury: Evaluation of a staff training workshop, Simpson G, Winstanley J, Bertapelle T, 18(5):445–456

F

Family

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1): 88–104

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Financial compensation

Longitudinal study of compensation-seeking and return to work in a treated mild traumatic brain injury sample, Reynolds S, Paniak C, Toller-Lobe G, Nagy J, 18(2):139–147

Follow-up studies

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson C, Katz R, 18(5):435–444

Neurobehavioral outcome in persons with violent or nonviolent traumatic brain injury, Machamer JE, Temkin NR, Dikmen SS, 18(5):387–397

Functional assessment

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

Functional outcome

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

G

Gait

Residual effects of a traumatic brain injury on locomotor capacity: A first study of spatiotemporal patterns during unobstructed and obstructed walking, McFadyen BJ, Swaine B, Dumas D, Durand A, 18(6):512–525

Gender

Gender as a moderator of memory after traumatic brain injury in children, Donders J, Woodward H, 18(2):106–115

Ginseng

Update on pharmacology, Lexell J, 18(2):196–200

Glasgow Outcome Scale

Reliability of ratings on the Glasgow Outcome Scales from in-person and telephone structured interviews, Pettigrew LEL, Wilson JTL, Teasdale GM, 18(3):252–258

Growth factors

Biologic transplantation and neurotrophin-induced neuroplasticity after traumatic brain injury, Lu D, Mahmood A, Chopp M, 18(4):357–376

H

Health status

Demographic, medical, and psychiatric factors in work and marital status after mild head injury, Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA, 18(2):148–163

Hemiparesis

Constraint-induced movement therapy for hemiplegic children with acquired brain injuries, Karman N,

Maryles J, Baker RW, Simpser E, Berger-Gross P, 18(3):259–267

Hormonal dysfunction

Anterior pituitary dysfunction after traumatic brain injury, Elovic EP, 18(6):541–543

Hypopituitarism

Anterior pituitary dysfunction after traumatic brain injury, Elovic EP, 18(6):541–543

Hypothyroidism

Anterior pituitary dysfunction after traumatic brain injury, Elovic EP, 18(6):541–543

I

Informed consent

Beyond consent: Assessment and empowerment in brain injury rehabilitation, Kothari S, Kirschner K, 18(4):379–382

Internet

The use of a World Wide Web-based consultation site to provide support to telephone staff in a traumatic brain injury demonstration project, Bell KR, Esselman P, Garner MD, et al, 18(6):504–511

Interrater reliability

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

J

Job coach/developer

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

K

Kinematics

Residual effects of a traumatic brain injury on locomotor capacity: A first study of spatiotemporal patterns during unobstructed and obstructed walking, McFadyen BJ, Swaine B, Dumas D, Durand A, 18(6):512–525

L

Laryngeal function

Perceptual and instrumental analysis of laryngeal function after traumatic brain injury in childhood, Cahill LM, Murdoch BE, Theodoros DG, 18(3):268–283

Leadership

Return to work for a company president with traumatic brain injury, Nimgade A, Costello MC, 18(5):464–467

Legislative and Public Policy Update

A campaign for a "cure," Bérubé JE, 18(2):204–206

Lifestyle change

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Locked-in syndrome

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson, C, Katz R, 18(5):435–444

Locomotion

Residual effects of a traumatic brain injury on locomotor capacity: A first study of spatiotemporal patterns during unobstructed and obstructed walking, McFadyen BJ, Swaine B, Dumas D, Durand A, 18(6):512–525

M

Marital status

Demographic, medical, and psychiatric factors in work and marital status after mild head injury, Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA, 18(2):148–163

Mayo-Portland Adaptability Inventory

Further psychometric evaluation and revision of the Mayo-Portland Adaptability Inventory in a national sample, Malec JF, Kragness M, Evans RW, Finlay KL, Kent A, Lezak MD, 18(6):479–492

Memory

Gender as a moderator of memory after traumatic brain injury in children, Donders J, Woodward H, 18(2):106–115

Outcome of memory rehabilitation in traumatic brain injury assessed by neuropsychological tests and questionnaires, Quemada JI, Céspedes JMM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I, 18(6):532–540

Milieu-based rehabilitation

Return to work for a company president with traumatic brain injury, Nimgade A, Costello MC, 18(5):464–467

Movement therapy

Constraint-induced movement therapy for hemiplegic children with acquired brain injuries, Karman N, Maryles J, Baker RW, Simpser E, Berger-Gross P, 18(3):259–267

Multicomponent intervention

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Multi-element model

The safe management of physical aggression using multi-element positive practices in community settings, Willis TJ, LaVigna GW, 18(1):75–87

N

Negative binomial regression

Estimating nonfatal traumatic brain injury hospitalizations using an urban/rural index, Kegler SR, Coronado VG, Annest, JL, Thurman DJ, 18(6):469–478

Neurofilaments

Diffuse axonal injury in head trauma, Smith DH, Meaney DF, Shull WH, 18(4):307–316

Neurogenesis

Traumatic brain injury: Depression, neurogenesis, and medication management, Perna RB, Rouselle A, Brennan P, 18(2):201–203

Neuroimaging

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Neuroplasticity

Biologic transplantation and neurotrophin-induced neuroplasticity after traumatic brain injury, Lu D, Mahmood A, Chopp M, 18(4):357–376

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Diffuse axonal injury in head trauma, Smith DH, Meaney DF, Shull WH, 18(4):307–316

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

Neurorehabilitation

Development and exploratory analysis of the Neurorehabilitation Program Styles Survey, McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, et al, 18(5):425–434

Neuroreorganization

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Neurotrophins

Biologic transplantation and neurotrophin-induced neuroplasticity after traumatic brain injury, Lu D, Mahmood A, Chopp M, 18(4):357–376

North Star Project

North Star Project: Reality orientation in an acute care setting for patients with traumatic brain injury, Thomas H, Feyz M, LeBlanc J, et al, 18(3): 292–302

O

Olanzapine

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

Outcome

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Demographic, medical, and psychiatric factors in work and marital status after mild head injury, Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA, 18(2):148–163

Gender as a moderator of memory after traumatic brain injury in children, Donders J, Woodward H, 18(2):106–115

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson, C, Katz R, 18(5):435–444

Incidence, characteristics, and predictive factors for dysphagia after pediatric traumatic brain injury, Morgan A, Ward E, Murdoch B, Kennedy B, Murison R, 18(3):239–251

Moderating factors in return to work and job stability after traumatic brain injury, Kreutzer JS, Marwitz JH, Walker W, et al, 18(2):128–138

Neurobehavioral outcome in persons with violent or nonviolent traumatic brain injury, Machamer JE, Temkin NR, Dikmen SS, 18(5):387–397

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Race and productivity outcome after traumatic brain injury: Influence of confounding factors, Sherer M, Nick TG, Sander AM, et al, 18(5):408–424

Reliability of ratings on the Glasgow Outcome Scales from in-person and telephone structured interviews, Pettigrew LEL, Wilson JTL, Teasdale GM, 18(3):252–258

Rural *versus* urban social support seeking as a moderating variable in traumatic brain injury outcome, Farmer JE, Clark MJ, Sherman AK, 18(2):116–127

P

Pain management

Further psychometric evaluation and revision of the Mayo-Portland Adaptability Inventory in a national sample, Malec JF, Kragness M, Evans RW, Finlay KL, Kent A, Lezak MD, 18(6):479–492

Parent-adolescent interaction

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Pediatric brain injury

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Constraint-induced movement therapy for hemiplegic children with acquired brain injuries, Karman N, Maryles J, Baker RW, Simpser E, Berger-Gross P, 18(3):259–267

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Gender as a moderator of memory after traumatic brain injury in children, Donders J, Woodward H, 18(2):106–115

Incidence, characteristics, and predictive factors for dysphagia after pediatric traumatic brain injury, Morgan A, Ward E, Murdoch B, Kennedy B, Murison R, 18(3):239–251

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Parent-adolescent interactions after traumatic brain injury: Their relationship to family adaptation and adolescent adjustment, Wade SL, Taylor G, Drotar D, et al, 18(2):164–176

Perceptual and instrumental analysis of laryngeal function after traumatic brain injury in childhood, Cahill LM, Murdoch BE, Theodoros DG, 18(3):268–283

Pharmacology

Anticonvulsants, Hoch DB, Daly L, 18(4):383–386

Ginseng, Lexell J, 18(2):196–200

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

Traumatic brain injury: Depression, neurogenesis, and medication management, Perna RB, Rouselle A, Brennan P, 18(2):201–203

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

Physical aggression

The safe management of physical aggression using multi-element positive practices in community settings, Willis TJ, LaVigna GW, 18(1):75–87

Physical therapy

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

Pituitary dysfunction

Anterior pituitary dysfunction after traumatic brain injury, Elovic EP, 18(6):541–543

Positive behavior support

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

Proactive intervention

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1):88–104

Productivity

Race and productivity outcome after traumatic brain injury: Influence of confounding factors, Sherer M, Nick TG, Sander AM, et al, 18(5):408–424

Psychiatric factors

Demographic, medical, and psychiatric factors in work and marital status after mild head injury, Vanderploeg RD, Curtiss G, Duchnick JJ, Luis CA, 18(2):148–163

Psychometric evaluation

Development and exploratory analysis of the Neurorehabilitation Program Styles Survey, McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, et al, 18(5):425–434

Further psychometric evaluation and revision of the Mayo-Portland Adaptability Inventory in a national sample, Malec JF, Kragness M, Evans RW, Finlay KL, Kent A, Lezak MD, 18(6):479–492

Q

Quality of life

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson, C, Katz R, 18(5):435–444

Rural *versus* urban social support seeking as a moderating variable in traumatic brain injury outcome, Farmer JE, Clark MJ, Sherman AK, 18(2):116–127

Quetiapine

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

R

Race

Race and productivity outcome after traumatic brain injury: Influence of confounding factors, Sherer M, Nick TG, Sander AM, et al, 18(5):408–424

Reality orientation

North Star Project: Reality orientation in an acute care setting for patients with traumatic brain injury, Thomas H, Feyz M, LeBlanc J, et al, 18(3):292–302

Recovery of function

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Rehabilitation

Beyond consent: Assessment and empowerment in brain injury rehabilitation, Kothari S, Kirschner K, 18(4):379–382

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Constraint-induced movement therapy for hemiplegic children with acquired brain injuries, Karman N, Maryles J, Baker RW, Simpser E, Berger-Gross P, 18(3):259–267

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Development and exploratory analysis of the Neurorehabilitation Program Styles Survey, McCorkel BA, Glueckauf RL, Ecklund-Johnson EP, et al, 18(5):425–434

"Errorless" rehabilitation: Strategies of proactive intervention for individuals with brain injury and their children, Ducharme JM, 18(1):88–104

Gender as a moderator of memory after traumatic brain injury in children, Donders J, Woodward H, 18(2):106–115

North Star Project: Reality orientation in an acute care setting for patients with traumatic brain injury, Thomas H, Feyz M, LeBlanc J, et al, 18(3):292–302

Outcome of memory rehabilitation in traumatic brain injury assessed by neuropsychological tests and questionnaires, Quemada JI, Céspedes JMM, Ezkerra J, Ballesteros J, Ibarra N, Urruticoechea I, 18(6):532–540

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

Residual effects of a traumatic brain injury on locomotor capacity: A first study of spatiotemporal patterns during unobstructed and obstructed walking, McFadyen BJ, Swaine B, Dumas D, Durand A, 18(6):512–525

Return to work for a company president with traumatic brain injury, Nimgade A, Costello MC, 18(5):464–467

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

Use of the BNI Screen for Higher Cerebral Functions in assessing disorientation after traumatic brain injury, Borgaro SR, Kwasnica C, Cutter N, Alcott S, 18(3):284–291

Return to work

Longitudinal study of compensation-seeking and return to work in a treated mild traumatic brain injury sample, Reynolds S, Paniak C, Toller-Lobe G, Nagy J, 18(2):139–147

Moderating factors in return to work and job stability after traumatic brain injury, Kreutzer JS, Marwitz JH, Walker W, et al, 18(2):128–138

Return to work for a company president with traumatic brain injury, Nimgade A, Costello MC, 18(5):464–467

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

Risperidone

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195

Rural area

Rural *versus* urban social support seeking as a moderating variable in traumatic brain injury outcome, Farmer JE, Clark MJ, Sherman AK, 18(2):116–127

Rural health care

The use of a World Wide Web-based consultation site to provide support to telephone staff in a traumatic brain injury demonstration project, Bell KR, Esselman P, Garner MD, et al, 18(6):504–511

S

School-based treatment

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Serotonin

Rehabilitation pharmacology: Bridging laboratory work to clinical application, Phillips JP, Devier DJ, Feeney DM, 18(4):342–356

Social perception

TASIT: A new tool for assessing social perception after traumatic brain injury, McDonald S, Flanagan S, Rollins J, Kinch J, 18(3):219–238

Social support

Rural *versus* urban social support seeking as a moderating variable in traumatic brain injury outcome, Farmer JE, Clark MJ, Sherman AK, 18(2):116–127

Speech

Perceptual and instrumental analysis of laryngeal function after traumatic brain injury in childhood, Cahill LM, Murdoch BE, Theodoros DG, 18(3):268–283

Suicide prevention

Suicide prevention training after traumatic brain injury: Evaluation of a staff training workshop, Simpson G, Winstanley J, Bertapelle T, 18(5):445–456

Support

Context-sensitive behavioral supports for young children with TBI: Short-term effects and long-term outcome, Feeney TJ, Ylvisaker M, 18(1):33–51

Intensive positive behavior supports for adolescents with acquired brain injury: Long-term outcomes in community settings, Gardner RM, Bird FL, Maguire H, et al, 18(1):52–74

Positive supports for people who experience behavioral and cognitive disability after brain injury: A review, Ylvisaker M, Jacobs HE, Feeney T, 18(1):7–32

T

TASIT (The Awareness of Social Inference Test)

TASIT: A new tool for assessing social perception after traumatic brain injury, McDonald S, Flanagan S, Rollins J, Kinch J, 18(3):219–238

TEMPA (Upper Extremity Performance Evaluation Test for the Elderly)

Interrater reliability of the TEMPA for the measurement of upper limb function in adults with traumatic brain injury, Moseley AM, Yap MC, 18(6):526–531

Tetraplegia

Impairment, activity, participation, life satisfaction, and survival in locked-in syndrome for over a decade: follow-up of a previously reported cohort, Doble JE, Haig AJ, Anderson, C, Katz R, 18(5):435–444

Training

Suicide prevention training after traumatic brain injury: Evaluation of a staff training workshop, Simpson G, Winstanley J, Bertapelle T, 18(5):445–456

Transplantation

Biologic transplantation and neurotrophin-induced neuroplasticity after traumatic brain injury, Lu D, Mahmood A, Chopp M, 18(4):357–376

V

Vestibuar disease

Vestibular disease and cognitive dysfunction: No evidence for a causal connection, Gizzi M, Zlotnik M, Cicerone K, Riley E, 18(5):398–407

Vicariation

Concepts of CNS plasticity in the context of brain damage and repair, Stein DG, Hoffman SW, 18(4):317–341

Violence

Neurobehavioral outcome in persons with violent or nonviolent traumatic brain injury, Machamer JE, Temkin NR, Dikmen SS, 18(5):387–397

Vocational rehabilitation

Supporting employment for adults with acquired brain injury: A conceptual model, Vandiver VL, Johnson J, Christofero-Snider C, 18(5):457–463

W

WeeFIM

Brain imaging as a predictor of early functional outcome following traumatic brain injury in children, adolescents, and young adults, Blackman JA, Rice SA, Matsumoto JA, et al, 18(6):493–503

Workshop

Suicide prevention training after traumatic brain injury: Evaluation of a staff training workshop, Simpson G, Winstanley J, Bertapelle T, 18(5):445–456

World Wide Web

The use of a World Wide Web-based consultation site to provide support to telephone staff in a traumatic brain injury demonstration project, Bell KR, Esselman P, Garner MD, et al, 18(6):504–511

Z

Ziprasidone

The use of atypical antipsychotics in traumatic brain injury, Elovic EP, Lansang R, Li Y, Ricker JH, 18(2):177–195